

# Table of Contents

Foreword . . . . .	xvii
Acknowledgements . . . . .	xviii
About the Hydraulic Institute . . . . .	xx

## Chapter • One

### **Introduction, 1**

1.1	General Safety Precautions . . . . .	1
1.2	Safe Mechanical Seal Selection . . . . .	1
1.3	Safe Mechanical Seal Installation . . . . .	3
1.4	Safe Startup/Maintenance/Operation . . . . .	3
1.5	Selection of Mechanical Seals . . . . .	4

## Chapter • Two

### **Definitions, 7**

## Chapter • Three

### **Basic Operating Principles, 27**

3.1	Effective Forces in a Mechanical Seal . . . . .	28
3.2	Liquid-Lubricated Mechanical Seal Leakage . . . . .	30
3.3	Power Consumption of a Liquid-Lubricated Mechanical Seal . . . . .	31
3.4	Lubrication Regimes of Liquid-Lubricated Mechanical Seals . . . . .	33
3.5	Gas-Lubricated Mechanical Seals . . . . .	35

## Chapter • Four

### **Seal Balance, 37**

## Chapter • Five

### **Classification of Mechanical Seals, 39**

5.1	Classification by Arrangement . . . . .	39
5.2	Classification by Design . . . . .	45
5.2.1	Pusher/Non-pusher Seals . . . . .	46
5.2.2	Balanced/Unbalanced Seals . . . . .	47

5.3	Face Patterns . . . . .	48
5.4	Rotating Springs/Stationary Springs . . . . .	48
5.5	Springs Inside/Outside the Pumped Fluid . . . . .	50
5.5.1	Metal Bellows . . . . .	50
5.5.2	Cartridge Seals . . . . .	51
5.5.3	Split Seals . . . . .	51
5.6	Containment Seals . . . . .	52

## Chapter • Six

### **Basic Seal Application Limits, 55**

## Chapter • Seven

### **Drive Mechanisms, 61**

7.1	Seal Assemblies . . . . .	61
7.1.1	Cup Point Set Screw . . . . .	61
7.1.2	Full and Half-Dog Set Screws . . . . .	62
7.1.3	Pin Drive . . . . .	62
7.1.4	Key Drive . . . . .	62
7.1.5	Ball Bearings . . . . .	62
7.1.6	Flats . . . . .	63
7.1.7	Friction . . . . .	63
7.2	Primary Rings . . . . .	63
7.2.1	Dent/Groove . . . . .	63
7.2.2	Pins . . . . .	63
7.2.3	Ear/Slot . . . . .	64
7.2.4	Shrink/Press Fit . . . . .	65
7.3	Mating Rings . . . . .	65
7.3.1	Friction . . . . .	65
7.3.2	Pin . . . . .	66
7.3.3	Clamped . . . . .	66
7.4	Seal Cartridges . . . . .	66
7.4.1	Set Screws . . . . .	66
7.4.2	Shrink Disk . . . . .	67
7.4.3	Split Collar . . . . .	67
7.4.4	Split Ring . . . . .	67
7.4.5	Keys . . . . .	68
7.4.6	High-Temperature Collars . . . . .	69

## Chapter • Eight

**Seal Face Mechanical Loading Devices, 71**

8.1	Single Spring . . . . .	71
8.2	Multiple Spring . . . . .	71
8.3	Wave Spring . . . . .	72
8.4	Welded Metal Bellows . . . . .	72
8.5	Formed Metal Bellows . . . . .	72

## Chapter • Nine

**Mating Ring Types, 75**

9.1	O-ring . . . . .	76
9.2	Square Section . . . . .	76
9.3	Floating . . . . .	76
9.4	Cup Mounted . . . . .	76
9.5	Clamped . . . . .	77

## Chapter • Ten

**Gland Design, 79**

10.1	Introduction . . . . .	79
10.2	Materials . . . . .	79
10.3	Gasket and Face Support Surfaces . . . . .	81
10.4	Port Connections and Labeling . . . . .	81
10.5	Bushings . . . . .	81
10.6	Cartridge Seal Setting . . . . .	82
10.7	Care and Maintenance of Seal Glands . . . . .	83

## Chapter • Eleven

**Flush Arrangements, 85**

11.1	Stuffing Box (Small-Bore Seal Chamber) . . . . .	85
11.2	Large-Bore Seal Chambers . . . . .	86
11.3	Single-Point Flush . . . . .	87
11.4	Angled (Forked) Flush . . . . .	87

11.5	Annulus Flush . . . . .	88
11.6	Multiport Flush . . . . .	88
11.7	Axial Flush . . . . .	88

## Chapter • Twelve

### **Seal Chambers, 91**

12.1	Introduction . . . . .	91
12.2	Flow Regime . . . . .	91
12.3	Thermal System . . . . .	91
12.4	Pressure Balance . . . . .	92
12.5	Mechanical Design . . . . .	92
12.6	Seal Chamber Options for ASME/ANSI B73.1 Pumps . . . . .	92
	12.6.1 Conventional Packing Bore Stuffing Box . . . . .	93
	12.6.2 Large Cylindrical Seal Chambers . . . . .	94
	12.6.3 Enlarged Tapered Bore Seal Chambers . . . . .	95
12.7	Application-Specific Considerations in Selecting Seal Chambers . . . . .	97
	12.7.1 Entrained Solids and Slurries . . . . .	97
	12.7.2 Entrained Gas . . . . .	97
	12.7.3 High Vapor Pressure Fluids . . . . .	98
	12.7.4 Selection Matrices . . . . .	99

## Chapter • Thirteen

### **Pumping Rings, 103**

## Chapter • Fourteen

### **Dual Gas Seal Designs, 107**

## Chapter • Fifteen

### **Materials of Construction, 111**

15.1	Face Materials . . . . .	111
	15.1.1 Carbon . . . . .	112
	15.1.2 Tungsten Carbide . . . . .	112
	15.1.3 Silicon Carbide . . . . .	113
	15.1.4 Aluminum Oxide (Ceramic) . . . . .	115
	15.1.5 Bronze . . . . .	115
	15.1.6 17-4 Ph . . . . .	115
	15.1.7 Cast Iron and Ni-Resist . . . . .	115
	15.1.8 Glass-Filled PTFE . . . . .	115

15.2	Secondary Seal Materials . . . . .	116
15.2.1	Nitrile . . . . .	116
15.2.2	Fluorocarbon . . . . .	116
15.2.3	Ethylene Propylene . . . . .	117
15.2.4	Chloroprene . . . . .	117
15.2.5	Perfluoroelastomer . . . . .	117
15.2.6	TFE Propylene . . . . .	117
15.2.7	PTFE . . . . .	118
15.2.8	Flexible Graphite . . . . .	118
15.3	Mechanical Seal Hardware . . . . .	118
15.3.1	304 and 316 Stainless Steel . . . . .	118
15.3.2	Alloy 20 Cb-3 . . . . .	118
15.3.3	Low Carbon Nickel–Molybdenum Alloys . . . . .	119
15.3.4	AM-350 Stainless Steel . . . . .	119
15.3.5	Nickel–Chromium Alloys . . . . .	119
15.3.6	Nickel–Copper Alloys . . . . .	119
15.3.7	Duplex and Super Duplex Stainless Steels . . . . .	119
15.3.8	Nickel . . . . .	120
15.3.9	Tantalum . . . . .	120
15.3.10	Titanium . . . . .	120
15.4	Material Selection Guide . . . . .	120

### Chapter • Sixteen

#### **Seal Chamber Pressure, 143**

### Chapter • Seventeen

#### **Seal Thrust Loads on Pump Shafts, 147**

17.1	Single Seal . . . . .	148
17.2	Dual Unpressurized Seal (Tandem) . . . . .	149
17.3	Dual Pressurized Seal (Double – Face-to-Back) . . . . .	150
17.4	Dual Pressurized Seal (Double – Back-to-Back) . . . . .	151

### Chapter • Eighteen

#### **Seal Horsepower and Torque Consumptions, 153**

18.1	Heat Load in Seal Chamber . . . . .	157
18.2	Power Consumption (metric units) . . . . .	159
18.3	Power Consumption (US Customary units) . . . . .	160
18.4	Heat Soak . . . . .	161
18.5	Heat Generated Due to Viscous Drag . . . . .	163
18.6	Flow Rate Requirements . . . . .	165

## Chapter • Nineteen

### **Installation and Replacement of Mechanical Seals, 167**

19.1	Introduction . . . . .	167
19.2	Equipment . . . . .	168
19.2.1	Equipment Condition . . . . .	168
19.2.2	Alignment . . . . .	169
19.3	Seal Installation . . . . .	172
19.3.1	Inspect the Seal . . . . .	172
19.3.2	Installation of Cartridge Seals . . . . .	173
19.3.3	Installation of Component Seals . . . . .	174

## Chapter • Twenty

### **Piping Plans, 179**

20.1	Piping Plans . . . . .	183
20.1.1	Plan 01 . . . . .	183
20.1.2	Plan 02 . . . . .	184
20.1.3	Plan 11 . . . . .	186
20.1.4	Plan 12 . . . . .	187
20.1.5	Plan 13 . . . . .	188
20.1.6	Plan 14 . . . . .	189
20.1.7	Plan 21 . . . . .	190
20.1.8	Plan 22 . . . . .	191
20.1.9	Plan 23 . . . . .	193
20.1.10	Plan 31 . . . . .	194
20.1.11	Plan 32 . . . . .	196
20.1.12	Plan 41 . . . . .	197
20.1.13	Plan 52 . . . . .	199
20.1.14	Plan 53A . . . . .	201
20.1.15	Plan 53B . . . . .	203
20.1.16	Plan 53C . . . . .	204
20.1.17	Plan 54 . . . . .	206
20.1.18	Plan 62 . . . . .	208
20.1.19	Plan 65 . . . . .	209
20.1.20	Plan 72 . . . . .	210
20.1.21	Plan 74 . . . . .	211
20.1.22	Plan 75 . . . . .	213
20.1.23	Plan 76 . . . . .	214

20.2	Sizing and Controlling Flow in the Flush Plans .....	215
20.2.1	Plans 11, 12, 13, and 14 .....	215
20.2.2	Plans 21, 22, and 41 .....	216
20.2.3	Plan 23 .....	216
20.2.4	Plan 31 .....	217
20.2.5	Plan 32 .....	217
20.2.6	Plan 52, 53A, 53B, and 53C .....	218
20.2.7	Plan 54 .....	219
20.2.8	Plan 62 .....	219
20.2.9	Plan 74 .....	219

Chapter • Twenty One  
**Buffer/Barrier Fluids, 221**

Chapter • Twenty Two  
**Pump Commissioning, 225**

Chapter • Twenty Three  
**Troubleshooting Mechanical Seals, 229**

23.1	Introduction .....	229
23.2	Causes of Mechanical Seal Failure .....	229
23.3	Possible Seal Leakage Points .....	230
23.4	Seal Failure Analysis .....	230
23.5	Seal Face Wear Patterns .....	232
23.6	Seal Face Examination .....	235
23.7	Elastomers .....	239
23.8	Drive Mechanisms .....	242

Chapter • Twenty Four  
**Life Cycle Cost, 247**

24.1	Sealing System Economics .....	247
24.1.1	Identifying Sealing System Energy Sources .....	248
24.2	Sealing System Cost .....	254
24.3	Conclusion .....	258

## Chapter • Twenty Five

**References, 261**

## Appendix A

**Seal Analysis Report, 265**

## Appendix B

**Nomenclature, 267**

## List of Figures

3.1	Essential elements of a mechanical seal. . . . .	27
3-2a	Effective forces in a mechanical seal . . . . .	28
3-2b	Pressure profiles in the sealing gap . . . . .	29
3.3	Friction coefficient and lubrication regimes for mechanical seals . . . . .	34
3.4	Comparison of the lubrication regime of a 50-mm (2-in) seal under different operating conditions. . . . .	36
4.1	Seal balance for pusher and non-pusher seals. . . . .	38
5.1	Classification by arrangement and configuration. . . . .	40
5.2	Inside-mounted single seal . . . . .	40
5.3	Outside-mounted single seal. . . . .	40
5.4	Dual pressurized seal . . . . .	42
5.5	Dual unpressurized seal . . . . .	42
5.6	Dual seal configurations . . . . .	43
5.7	Classification by design. . . . .	45
5.8	Pusher type seal . . . . .	46
5.9	Metal bellows seal . . . . .	46
5.10	Elastomeric bellows seal . . . . .	46
5.11	Unbalanced seal . . . . .	47
5.12	Balanced seal . . . . .	47
5-13a	Spiral grooves on sealing face . . . . .	49
5-13b	Hydropads or grooves on sealing face . . . . .	49
5.14	Stationary spring seal . . . . .	49
5.15	Rotating seal with springs outside of the process fluid . . . . .	50

---

5.16	Stationary seal with springs outside of the process fluid . . . . .	50
5.17	Cartridge mechanical seal . . . . .	51
5.18	Split seal . . . . .	52
5.19	Classification of containment devices for mechanical seals . . . . .	53
7.1	Typical seal assembly drive mechanisms . . . . .	64
7.2	Typical primary ring drive mechanisms . . . . .	65
7.3	Typical cartridge seal drive mechanisms . . . . .	68
8.1	Seal face loading devices . . . . .	73
9.1	Basic mating ring designs . . . . .	77
10.1	Typical packing gland . . . . .	80
10.2	Typical component mechanical seal gland . . . . .	80
10.3	Gland with a fixed throttle bushing . . . . .	82
10.4	Gland with a floating throttle bushing . . . . .	83
10.5	Shaft-centered gland . . . . .	83
10.6	Gland-piloted design . . . . .	84
11.1	Basic flush arrangements . . . . .	86
12.1	50.80-mm (2.00-in) single seal mounted in a conventional process pump stuffing box . . . . .	93
12.2	Temperature measurements from a single seal in a traditional stuffing box . . . . .	94
12.3	50.80-mm (2.00-in) single seal mounted in an enlarged cylindrical bore process pump seal chamber . . . . .	95
12.4	Temperature measurements from a single seal in an enlarged cylindrical bore seal chamber . . . . .	95
12.5	50.80-mm (2.00-in) single seal mounted in an enlarged tapered bore process pump seal chamber . . . . .	96
12.6	Temperature measurements from a single seal in an enlarged tapered bore seal chamber . . . . .	96
13.1	Pumping ring designs . . . . .	105
14.1	Basic elements of a gas-lubricated seal . . . . .	107
14.2	Hydrodynamic pressure generation of dual gas seals . . . . .	108
14.3	Examples of commonly used face patterns . . . . .	108
14.4	Dual gas seal – externally pressurized pusher type, back-to-back . . . . .	109
14.5	Dual gas seal – internally pressurized – pusher type . . . . .	110

14.6	Dual gas seal – external pressure – non-pusher type . . . . .	110
17.1	Thrust load - single pusher seal . . . . .	148
17.2	Thrust load – single metal bellows seal . . . . .	149
17.3	Thrust load – dual unpressurized pusher seal . . . . .	150
17.4	Thrust load – dual pressurized pusher seal . . . . .	150
17.5	Thrust load – dual pressurized metal bellows seal . . . . .	151
18.1	Power consumption for unbalanced seals at 1450 rpm (metric) . . . . .	154
18.2	HP consumption for unbalanced seals at 1750 rpm (US customary) . . . . .	154
18.3	Power consumption for unbalanced seals at 3000 rpm (metric) . . . . .	155
18.4	HP consumption for unbalanced seals at 3550 rpm (US customary) . . . . .	155
18.5	Power consumption for balanced seals at 1450 rpm (metric) . . . . .	155
18.6	HP consumption for balanced seals at 1750 rpm (US customary) . . . . .	156
18.7	Power consumption for balanced seals at 3000 rpm (metric) . . . . .	156
18.8	HP consumption for balanced seals at 3550 rpm (US customary) . . . . .	156
18.9	Heat soak (metric) . . . . .	162
18.10	Heat soak (US customary) . . . . .	162
19.1	Measuring radial shaft movement . . . . .	170
19.2	Measuring radial bearing fit . . . . .	170
19.3	Measuring axial shaft movement . . . . .	171
19.4	Seal chamber face squareness . . . . .	171
19.5	Bearing frame perpendicularity . . . . .	172
19.6	Seal chamber bore concentricity . . . . .	172
19.7	Seal chamber face as a reference point . . . . .	174
19.8	Installation reference for inside-mounted seal . . . . .	175
19.9	Installation reference for outside-mounted seal . . . . .	175
19.10	Installation of seal components onto pump shaft . . . . .	175
19.11	Installation of inside-mounted seal complete . . . . .	176
23.1	Possible seal leakage points . . . . .	230

---

23.2	Normal face wear pattern . . . . .	232
23.3	Narrow wear pattern . . . . .	232
23.4	Wide wear pattern. . . . .	233
23.5	No wear pattern . . . . .	233
23.6	Intermittent wear pattern. . . . .	234
23.7	Uneven wear patterns. . . . .	234
23.8	Deep wear pattern on the hard face . . . . .	235
23.9	Heat checking. . . . .	235
23.10	Cracked hard face . . . . .	236
23.11	Chipped edges . . . . .	236
23.12	Flaking or peeling . . . . .	237
23.13	Blistering of seal face . . . . .	237
23.14	Wire drawing on seal face . . . . .	238
23.15	Abrasive wear on carbon face . . . . .	238
23.16	Erosion of rotating primary ring. . . . .	239
23.17	O-ring swelling . . . . .	240
23.18	O-ring cuts and nicks . . . . .	240
23.19	Hard or cracked elastomer bellows . . . . .	240
23.20	Extruded O-ring . . . . .	241
23.21	Compression set. . . . .	241
23.22	Worn ID surface on a dynamic O-ring . . . . .	242
23.23	Ruptured O-ring . . . . .	242
23.24	Bellows fracture . . . . .	243
23.25	Marks on component outer diameter . . . . .	243
23.26	Metal corrosion . . . . .	244
23.27	Spring fatigue or corrosion . . . . .	244
23.28	Drive pin shearing. . . . .	245
23.29	Coking. . . . .	245
24.1	Packed pump . . . . .	249
24.2	Single seal – Plan 21 . . . . .	250
24.3	Single seal – Plan 32 . . . . .	251
24.4	Single seal – Plan 23 . . . . .	252
24.5	Dual pressurized seal – Plan 54. . . . .	252

24.6	Single seal – Plan 02/62 . . . . .	253
24.7	Dual pressurized seal – Plan 54 . . . . .	254

### List of Tables

6.1	General application guide per seal type . . . . .	56
6.2	Dynamic pressure and temperature ratings for seals . . . . .	57
6.3	Nominal PV limits for nonlubricating fluids . . . . .	58
6.4	Angular misalignment limits for seals . . . . .	59
12.1	Optimum seal chamber selection under various environmental conditions. . . . .	100
12.2	Environmental recommendations for various seal chambers and conditions. . . . .	101
15.1	Commonly used grades of tungsten carbide. . . . .	112
15.2	Comparison of typical physical properties of face materials . . . . .	113
15.3	Resistance codes used . . . . .	120
15.4	Metals of construction and applicable industry specifications . . . . .	121
15.5	Other materials of construction . . . . .	121
15.6	Material selection guide for mechanical seals. . . . .	123
18.1	Coefficients of friction . . . . .	157
21.1	Guidelines for buffer/barrier fluid families . . . . .	222
24.1	Energy evaluation sheet . . . . .	255
24.2	Five-year economic evaluation (US\$) . . . . .	256