

Contents

Page

Foreword	vii
9.6.8 Guideline for dynamics of pumping machinery	1
9.6.8.1 Introduction and scope	1
9.6.8.1.1 Introduction	1
9.6.8.1.2 Scope	1
9.6.8.2 Overview and relevance of dynamics considerations	7
9.6.8.3 When an analysis is recommended	11
9.6.8.3.1 System complexity and unit size	11
9.6.8.3.2 Considerations in the specification of dynamic analysis	16
9.6.8.4 Introduction to analysis levels	27
9.6.8.4.1 Analysis level definitions	33
9.6.8.5 Level 1 analysis (simple methods)	36
9.6.8.5.1 Level 1 recommended analyses	36
9.6.8.5.2 Level 1 analysis methods	37
9.6.8.5.3 Pump rotor vibration	38
9.6.8.5.4 Pump rotor critical speed	38
9.6.8.5.5 The first transverse (lateral) critical speed	39
9.6.8.5.6 For the angular or torsional case	41
9.6.8.5.7 Reed critical frequency (RCF) of vertical structures	42
9.6.8.6 Level 2 analysis (intermediate methods)	44
9.6.8.6.1 Introduction	44
9.6.8.6.2 Individual level 2 analyses: methodology, interpretation of results and validation	44
9.6.8.7 Level 3 analysis (advanced methods)	53
9.6.8.7.1 Introduction	53
9.6.8.7.2 Level 3 analyses: methodology, interpretation of results and validation	53
Appendix A Definitions of terms	58
Appendix B Input data requirements	64
Appendix C Vertical structure natural frequency considerations	68
C.1 Introduction	68
C.2 Reed frequency characteristics of vertical structures involving motors	68
C.3 Motor reed frequency properties	68
C.4 Use of motor reed frequency properties in a vertical pump/motor structure reed frequency calculation, level 1 analysis	69
C.5 Use of motor reed frequency properties in level 2 or level 3 analyses of vertical structures	70
C.6 Graphical depiction of vertical pump/motor structure reed frequency versus motor reed frequency	71
C.7 Job-specific motor reed frequency values for dynamic analysis	72
C.8 Practical considerations – vertical pump/motor structures	72
Appendix D Vertical motor reed critical frequency considerations	76
D.1 Introduction	76
D.2 Motor reed frequency properties	76
D.3 Typical stated motor reed frequency values	78

D.4	Motor reed critical frequency impact test guidelines	80
D.5	Job-specific motor reed frequency tested values for dynamic analysis	83
Appendix E	Dynamic analysis sample specifications	84
E.1	Instructions for specification writers	84
E.2	Separation margin	84
E.3	Dynamic analysis sample specification wording	86
Appendix F	Dynamic analysis sample specifications, motor reed critical frequency	90
F.1	Purpose	90
F.2	Scope	90
F.3	Instructions to specification writers	90
F.4	Instructions to motor purchasers	90
F.5	Sample specification	90
Appendix G	Analysis reporting format.	92
Appendix H	Numerical analysis recommendations.	94
H.1	Typical applications	94
H.2	Model methodology	94
Appendix I	Bibliography.	97
Figures		
9.6.8.1.1.1a	— Flowchart describing workflow	3
9.6.8.1.1.1b	— Flowchart referencing applicable sections of guideline	4
9.6.8.1.1.1c	— Checklist to facilitate use of guideline	5
9.6.8.1.2a	— Rotodynamic pump types - overhung	8
9.6.8.1.2b	— Rotodynamic pump types - between bearings	9
9.6.8.1.2c	— Rotodynamic pump types - vertically suspended	10
9.6.8.3.1a	— Foundation rigidity, horizontal pump structures	14
9.6.8.3.1b	— Foundation rigidity, vertical pump structures using motor CG location	14
9.6.8.3.1c	— Foundation rigidity, vertical pump structures using top motor bearing location	15
9.6.8.4a	— Typical Campbell diagram for lateral critical speeds	31
9.6.8.4b	— Typical mode shape diagram	32
9.6.8.4c	— Typical Campbell diagram for torsional critical speeds	34
9.6.8.5.2	— Natural frequency versus static deflection	37
9.6.8.5.4	— Rotor first and second critical speeds	38
9.6.8.5.5.1	— Rotor critical speed with single attached mass	39
9.6.8.5.5.3	— Rotor critical speed with shaft of negligible mass and several concentrated masses	40
9.6.8.5.6	— Simple horizontal centrifugal pump system	41
9.6.8.6.2.1.3	— Rotodynamic critical speed map	48
C.1	— Vertical motor structures	69
C.2	— System RCF (cpm) vs. motor RCF (cpm) and motor center of gravity deflection component	72
C.3	— Typical vibration signature of discharge head/driver support with driver	73
C.4	— Structural natural frequency is close to the maximum range of operation rpm.	74

C.5 — Structural natural frequency is close to the minimum range of operating rpm	75
D.1 — Static deflection of motor center of gravity	76
D.2 — Reed critical frequency versus static deflection	77
D.3 — Typical range of stated motor reed frequency versus torque	78
D.4 — Typical range of stated motor reed frequency versus motor weight	79
D.5 — Typical range of stated motor reed frequency versus CG height (data trend envelope indicated)	79
D.6 — Typical range of stated motor reed frequency versus maximum motor diameter or flange diameter	80
D.7 — Small motor mounting plate structure	81
D.8 — Large motor mounting plate structure	81
E.1 — Amplification chart	85
E.2 — Cambell diagram for variable frequency unit	85

Tables

9.6.8.1.1.1 — Work process	2
9.6.8.3 — Decision matrix	12
9.6.8.3.1 — Uncertainty values	13
9.6.8.3.2a — Market trends	17
9.6.8.3.2b — Market considerations, municipal water and wastewater	18
9.6.8.3.2c — Market considerations, building trades and HVAC	19
9.6.8.3.2d — Market considerations, electric power industry	20
9.6.8.3.2e — Market considerations, petroleum industry	21
9.6.8.3.2f — Market considerations, chemical industry	22
9.6.8.3.2g — Market considerations, pulp and paper	22
9.6.8.3.2h — Market considerations, slurry	23
9.6.8.3.2i — Market considerations, general industry	23
9.6.8.3.2j — Market considerations, drainage and dewatering	24
9.6.8.3.2k — Market considerations, irrigation	24
9.6.8.3.2l — Market considerations, fire	25
9.6.8.3.2m — Market considerations, flood control	25
9.6.8.3.2n — Market considerations, water transport	26
9.6.8.4 — Analysis complexity levels	28